



Timisoara: sales@mondoplast.net		Bucuresti: info@mondoplast.net	
ECHIPAMENTE ELECTRICE			
UPS ONLINE 2/2 For SNMP slot and SNMP card extra cost : 149.00 euro ( UPS+battery+battery cabinet)		euro fara TV/	
G1K	Online HF LCD 1KVA UPS with battery;tower type; 230V/50Hz; "Braun Group"; black color		180.00 €
G2K	Online HF LCD 2KVA UPS with battery;tower type; 230V/50Hz; "Braun Group"; black color		320.00 €
G3K	Online HF LCD 3KVA UPS with battery;tower type; 230V/50Hz; "Braun Group"; black color		340.00 €
G6K	Online HF LCD 6KVA UPS with battery;tower type; 230V/50Hz; "Braun Group"; black color;German terminals		870.00 €
G10K	Online HF LCD 10KVA UPS with battery;tower type; 230V/50Hz; "Braun Group"; black color;German terminals		1,332.00 €
G1K 19"	Online HF LCD 1KVA UPS with battery; rack mount type; 230V/50Hz, "Braun Group"; black color, 2U		244.00 €
G2K 19"	Online HF LCD 2KVA UPS with battery; rack mount type; 230V/50Hz, "Braun Group"; black color, 4U		392.00 €
G2K 19" battery	Rack mount battery cabinet (8x7AH) for G2K 19"		164.00 €
G3K 19"	Online HF LCD 3KVA UPS with battery; rack mount type; 230V/50Hz, "Braun Group"; black color, 4U		488.00 €
G3K 19" battery	Rack mount battery cabinet (8x7AH) for G3K 19"		164.00 €
G6K 19"	Online HF LCD 6KVA UPS with battery; rack mount type; 230V/50Hz, "Braun Group"; black color, 6U		1,050.00 €
G6K 19" battery	Rack mount battery cabinet (20x7AH) for G6K 19"		337.00 €
G10K 19"	Online HF LCD 10KVA UPS with battery; rack mount type; 230V/50Hz, "Braun Group"; black color, 6U		1,399.00 €
UPS ONLINE 3/3 For SNMP slot and SNMP card extra cost: 149.00 euro ( UPS+battery+battery cabinet)			
G10K 3/3	10 min back up, equipped with 30pcs 12AH battery, tower type; 380V/50Hz; "Braun Group"; white/black color		3,357.00 €
G15K 3/3	10 min back up, equipped with 30pcs 17AH battery, tower type; 380V/50Hz; "Braun Group"; white/black color		3,861.00 €
G20K 3/3	10 min back up, equipped with 30pcs 24AH battery, tower type; 380V/50Hz; "Braun Group"; white/black color		4,458.80 €
G30K 3/3	10 min back up, equipped with 30pcs 38AH battery, tower type; 380V/50Hz; "Braun Group"; white/black color		6,369.00 €
G40K 3/3	10 min back up, equipped with 30pcs 50AH battery, tower type; 380V/50Hz; "Braun Group"; white/black color		7,232.00 €
G60K 3/3	10 min back up, equipped with 30pcs 65AH battery, tower type; 380V/50Hz; "Braun Group"; white/black color		9,234.92 €
G80K 3/3	10 min back up, equipped with 30pcs 75AH battery, tower type; 380V/50Hz; "Braun Group"; white/black color		13,134.00 €
G100K 3/3	10 min back up, equipped with 30pcs 100AH battery, tower type; 380V/50Hz; "Braun Group";white/black color		17,227.26 €
PUR SIN WAVE LINE INTERACTIVE UPS			
UPS 1500 SIN-LCD	1500VA Pure sin wave line interactive UPS, 10 min back- up, LCD display, 2x8AH, " Braun Group", black color		108.00 €
UPS 2000 SIN-LCD	2000VA Pure sin wave line interactive UPS, 10 min back- up, LCD display, 3x8AH, " Braun Group", black color		143.00 €
UPS 3000 SIN-LCD	3000VA Pure sin wave line interactive UPS, 10 min back- up, LCD display, 4x8AH, " Braun Group", black color		211.00 €
UPS 2000 SIN -30 MIN	Long back-up Pure sin wave line interactive UPS, 30 min back-up, LCD display, external battery cabinet 4x38 AH, "Braun Group", black color		413.00 €
PUR SIN WAVE UPS WITHOUT BATTERIES FOR HEATING SISTEM USE			
ES-UPS 800	800VA/480W Pure sin wave line interactive UPS, LCD Display Battery voltage 12VDC, Ui: 140-275 V, Uo: 220V/50Hz; "Braun Group",		85.90 €
ES-UPS 1000	1000VA/600W Pure sin wave line interactive UPS, LCD Display Battery voltage 12VDC, Ui: 140-275 V, Uo: 220V/50Hz; "Braun Group",		106.00 €
ES-UPS 1500	1500VA/900W Pure sin wave line interactive UPS, LCD Display Battery voltage 12VDC, Ui: 140-275 V, Uo: 220V/50Hz; "Braun Group",		128.00 €
UPS OFFLINE			
Adding USB interface extra cost is 4.9 eur			
UPS-650VA LED	Offline UPS with AVR, 650VA LED with Double layer PCB; 230V/50Hz; "Braun Group"; black color		30.00 €
UPS 1000VA LED	Offline UPS with AVR 1000VA LED with Double layer PCB; 230V/50Hz; with RS232; "Braun Group";black color		54.00 €
UPS 1200VA LED	Offline UPS with AVR, 1200VA LED with Double layer PCB; 230V/50Hz; with RS232; "Braun Group"; black color		65.00 €
UPS 1500VA LED	Offline UPS with AVR, 1500VA LED with Double layer PCB; 230V/50Hz; with RS232; "Braun Group"; black color		75.00 €
ES-L 800	UPS with AVR, 800VA/480W, LED Display, Ui: 140-275 V, Uo: 220V/50Hz; "Braun Group"; 1x12V/9AH, 2xSchucko		41.00 €
ES-L 1000	UPS with AVR, 1000VA/600W, LED Display, Ui: 140-275 V, Uo: 220V/50Hz; "Braun Group"; 2x12V/7AH,		54.00 €
ES-L 1200	UPS with AVR, 1200VA/720W, LED Display, Ui: 140-275 V, Uo: 220V/50Hz; "Braun Group"; 2x12V/7AH,		65.00 €
UPS 1000VA LCD	Offline UPS with AVR, 1000VA LCD with Double layer PCB; 230V/50Hz; with RS232; "Braun Group"; black color		62.00 €
UPS 1200VA LCD	Offline UPS with AVR, 1200VA LCD with Double layer PCB; 230V/50Hz; with RS232; "Braun Group"; black color		70.00 €
UPS 1500VA LCD	Offline UPS with AVR, 1500VA LCD with Double layer PCB; 230V/50Hz; with RS232; "Braun Group"; black color		84.00 €
ES-D 1000	UPS with AVR, 1000VA/600W, LCD Display, Ui: 140-275 V, Uo: 220V/50Hz; "Braun Group"; 2x12V/7AH,		62.00 €
ES-D 1200	UPS with AVR, 1200VA/720W, LCD Display, Ui: 140-275 V, Uo: 220V/50Hz; "Braun Group"; 2x12V/7AH,		70.00 €
ACUMULATORI UPS			
ACC 12V/7AH	Acumulatori pentru UPS 12VA/7AH 151mm/65mm/95mm		9.50 €
SURSE STABILIZATE 13,5VCC CU ALIMENTARE LA 220VCA			
QI-1761	Sursa liniara 13,8V, 3/5A - Model "Ergonomic", protectie scurtcircuit/suprasarcina		19.00 €
QI-1921	Sursa in comutatie 13,8V, 3/5A - protectie scurtcircuit/suprasarcina		21.00 €
QI-1765A	Sursa liniara 13,8V, 5/7A - Model "Ergonomic", protectie scurtcircuit/suprasarcina		24.00 €
QI-1922	Sursa in comutatie 13,8V, 5/7A - protectie scurtcircuit/suprasarcina		26.00 €
QI-1767A	Sursa liniara 13,8V, 7/9A - Model "Ergonomic", protectie scurtcircuit/suprasarcina		29.00 €
QI-1923	Sursa in comutatie 13,8V, 7/9A - protectie scurtcircuit/suprasarcina		31.00 €
EPS35	liniara, 12-15 V, 3A nom / 5A suprasarcina, prot scurtcircuit/suprasarcina		19.00 €
EPS57	liniara, 12-15 V, 5A nom/ 7A suprasarcina, prot scurtcircuit/suprasarcina		24.00 €
EPS79	liniara, 12-15 V, 7A nom / 9A suprasarcina, prot scurtcircuit/suprasarcina		28.00 €
QI-1863A	liniara 13,8V, 10/12A - Model "Economic", protectie scurtcircuit/suprasarcina		35.00 €
QI-1863B	liniara 13,8V, 10/12A - Model "Standard" (2 finali), protectie scurtcircuit/suprasarcina		39.00 €
EPS10	liniara, 12-15 V, 10A nom / 12A suprasarcina, prot scurtcircuit/suprasarcina		43.00 €
EPS10M	liniara 12-15 V, 10A nom / 12A suprasarcina, prot scurtcircuit/suprasarcina, indicatoare U si I		53.00 €
QI-1865A	liniara 13,8V, 20/22A - Model "Economic", protectie scurtcircuit/suprasarcina		56.00 €
QI-1865B	liniara 13,8V, 20/22A - Model "Standard" (2 finali), protectie scurtcircuit/suprasarcina		60.00 €
EPS20	liniara, 12-15 V, 20A nom / 22A suprasarcina, prot scurtcircuit/suprasarcina		66.00 €
EPS20M	liniara, 12-15 V, 20A nom / 22A suprasarcina, prot scurtcircuit/suprasarcina, indicatoare U si I		79.00 €
EPS18-22	comutatie, 12-15 V, 18A nom / 22A suprasarcina, prot scurtcircuit/suprasarcina, indic U si I		74.00 €
DM-330MVE	ALINCO, comutatie, 5-15 V, 30A nom / 32A suprasarcina, prot scurt/suprasarcina, indic U si I		85.00 €
QI-1815SB	Sursa liniara tensiune variabila 5-15V, 12-15A, protectie scurtcircuit/suprasarcina		52.00 €
QI-1830SB	Sursa liniara tensiune variabila 5-15V, 30A, protectie scurtcircuit/suprasarcina		73.00 €
QI-1868	Sursa liniara 13,8V, 35/37A, protectie scurtcircuit/suprasarcina		79.00 €
QI-2006-IV	Sursa liniara de laborator (U Variabila DC 0-500V/5mA; DC +/-5V +/-8V / 2A; DC 0-20V/6A; AC 2V, 6,3V, 9V, 12V/2,5		168.00 €
PS-1240	liniara, 12-15 V, 40A nominal, prot scurtcircuit/suprasarcina, indicatoare U si I		125.00 €

Timisoara: sales@mondoplast.net	TAB]	Bucuresti: info@mondoplast.net
PS-1250	liniara, 12-15 V, 50A nominal, prot scurtcircuit/suprasarcina, indicatoare U si I	167.00 €
<b>CONVERTOARE DE TENSIUNE 24VCC - 13,8VCC</b>		
QJ-1610	Convertor DC/DC 24V->13,8V, 10/12A	18.00 €
QJ-1615	Convertor DC/DC 24V->13,8V, 15/17A	28.00 €
QJ-1620	Convertor DC/DC 24V->13,8V, 20A	39.00 €
QJ-1630	Convertor DC/DC 24V->13,8V, 30/32A	57.00 €
QJ-1650	Convertor DC/DC 24V->13,8V, 50A	85.00 €
E 24/12	tensiune intrare 24V / iesire 13,8V, curent nominal 6A, protectie scurt/suprasarcina	12.00 €
E 24/13	tensiune intrare 24V / iesire 13,8V, curent nominal 13A, protectie scurt/suprasarcina	26.00 €
ECV-1012	tensiune intrare 24V / iesire 13,8V, curent nominal 8A, protectie scurt/suprasarcina	20.00 €
ECV-1316	tensiune intrare 24V / iesire 13,8V, curent nominal 13A, protectie scurt/suprasarcina	30.00 €
ECV-1822	tensiune intrare 24V / iesire 13,8V, curent nominal 18A, protectie scurt/suprasarcina	36.00 €
ECV-3040	tensiune intrare 24V / iesire 13,8V, curent nominal 30A, protectie scurt/suprasarcina	59.00 €
<b>STABILIZATOARE DE TENSIUNE</b>		
EA-AVR 500VA	Stabilizatoare de tensiune cu releu. Putere maxima 500VA; Ui: 140VAC-270VAC; Uo: 230VAC; voltmetru intrare/iesire	16.20 €
EA-AVR 1000VA	Stabilizatoare de tensiune cu releu. Putere maxima 1000VA; Ui: 140VAC-270VAC; Uo: 230VAC; voltmetru intrare/iesire	18.50 €
EA-AVR 1500VA	Stabilizatoare de tensiune cu releu. Putere maxima 1500VA; Ui: 140VAC-270VAC; Uo: 230VAC; voltmetru intrare/iesire	23.00 €
EA-AVR 2000VA	Stabilizatoare de tensiune cu releu. Putere maxima 2000VA; Ui: 140VAC-270VAC; Uo: 230VAC; voltmetru intrare/iesire	29.00 €
ES-SVC 1000	Stabilizatoare de tensiune cu servomotor. Putere maxima 1000VA/600W; Ui: 140VAC-260VAC; Uo: 220VAC, precizie<3% display digital	35.00 €
ES-SVC 1500	Stabilizatoare de tensiune cu servomotor. Putere maxima 1500VA/900W; Ui: 140VAC-260VAC; Uo: 220VAC, precizie<3% display digital	44.00 €
ES-SVC 3000	Stabilizatoare de tensiune cu servomotor. Putere maxima 3000VA/1800W; Ui: 140VAC-260VAC; Uo: 220VAC, precizie<3% display digital	82.00 €
ES-SVC 5000	Stabilizatoare de tensiune cu servomotor. Putere maxima 5000VA/3000W; Ui: 140VAC-260VAC; Uo: 220VAC, precizie<3% display digital	95.00 €
ES-SVC 10000	Stabilizatoare de tensiune cu servomotor. Putere maxima 10000VA/6000W; Ui: 140VAC-260VAC; Uo: 220VAC, precizie<3% display digital	199.00 €
EA-SVC 1000VA	Stabilizatoare de tensiune cu servomotor. Putere maxima 1000VA; Ui: 160VAC-250VAC; Uo: 230VAC; precizie<3%	35.00 €
EA-SVC 2000VA	Stabilizatoare de tensiune cu servomotor. Putere maxima 2000VA; Ui: 160VAC-250VAC; Uo: 230VAC; precizie<3%	64.00 €
EA-SVC 3000VA	Stabilizatoare de tensiune cu servomotor. Putere maxima 3000VA; Ui: 160VAC-250VAC; Uo: 230VAC; precizie<3%	82.00 €
EA-SVC 5000VA	Stabilizatoare de tensiune cu servomotor. Putere maxima 5000VA; Ui: 160VAC-250VAC; Uo: 230VAC; precizie<3%	95.00 €
SVC 8000VA MONO	Stabilizatoare de tensiune cu servomotor. Putere maxima 8000VA; Ui: 160VAC-250VAC; Uo: 230VAC; precizie<3%	160.00 €
SVC 10000VA MONO	Stabilizatoare de tensiune cu servomotor. Putere maxima 10000VA; Ui: 160VAC-250VAC; Uo: 230VAC; precizie<3%	199.00 €
EA-SVC 10000VA	Stabilizatoare de tensiune cu servomotor. Putere maxima 10000VA; Ui: 160VAC-250VAC; Uo: 230VAC; precizie<3%	219.00 €
EA-SVC 15KVA	Stabilizatoare de tensiune cu servomotor. Putere maxima 15000VA; Ui: 160VAC-250VAC; Uo: 230VAC; precizie<3%	360.00 €
EA-SVC 20KVA	Stabilizatoare de tensiune cu servomotor. Putere maxima 20000VA; Ui: 160VAC-250VAC; Uo: 230VAC; precizie<3%	403.00 €
EA-SVC 30KVA	Stabilizatoare de tensiune cu servomotor. Putere maxima 30000VA; Ui: 160VAC-250VAC; Uo: 230VAC; precizie<3%	585.00 €
SVC 10 KVA Three phase	Stabilizatoare de tensiune cu servomotor. Putere maxima 10kVA. Ui: 280VAC-430VAC; Uo: 380VAC; precizie<3%	283.00 €
EA-SVC 10KVA 380	Stabilizatoare de tensiune cu servomotor. Putere maxima 10kVA. Ui: 277VAC-433VAC; Uo: 380VAC; precizie<3%	311.00 €
SVC 15 KVA Three phase	Stabilizatoare de tensiune cu servomotor. Putere maxima 15kVA. Ui: 280VAC-430VAC; Uo: 380VAC; precizie<3%	413.00 €
EA-SVC 15KVA 380	Stabilizatoare de tensiune cu servomotor. Putere maxima 15kVA. Ui: 277VAC-433VAC; Uo: 380VAC; precizie<3%	454.00 €
SVC 20 KVA Three phase	Stabilizatoare de tensiune cu servomotor. Putere maxima 20kVA. Ui: 280VAC-430VAC; Uo: 380VAC; precizie<3%	653.00 €
EA-SVC 20KVA 380	Stabilizatoare de tensiune cu servomotor. Putere maxima 20kVA. Ui: 277VAC-433VAC; Uo: 380VAC; precizie<3%	718.00 €
SVC 30 KVA Three phase	Stabilizatoare de tensiune cu servomotor. Putere maxima 30kVA. Ui: 280VAC-430VAC; Uo: 380VAC; precizie<3%	804.00 €
EA-SVC 30KVA 380	Stabilizatoare de tensiune cu servomotor. Putere maxima 30kVA. Ui: 277VAC-433VAC; Uo: 380VAC; precizie<3%	884.40 €
SBW-50KVA	Stabilizator trifazic de 50kVA	1,534.00 €
EA-SBW-50KVA	Stabilizator trifazic de 50kVA, stabilizare independenta pe faza, Ui: 380±20%, Uo: 380VAC, precizie <3%	1,687.40 €
EA-SBW-100KVA	Stabilizator trifazic de 100 kVA, stabilizare independenta pe faza, Ui: 380±20%, Uo: 380VAC, precizie <3%	2,744.50 €
<b>INVERTOARE DE TENSIUNE SI INCARCATOARE</b>		
DAU-150B	Invertor de tensiune 12-220V 150W cu port USB, NextraCOM	14.50 €
8200Y	Invertor de tensiune 12-220V 200W, port USB, NextraCOM	19.90 €
8600U	Invertor de tensiune 12-220V 600W cu port USB	39.50 €
8800N-B	Invertor de tensiune 12-220V 800W cu port USB	55.00 €
INV-75	Invertor 12VDC-220VAC, sarcina maxima 75W	15.00 €
INV-100	Invertor 12VDC-220VAC, sarcina maxima 100W	16.00 €
ASS-350W	Invertor 12VDC-220VAC 500W & ChargerAvarie, tensiuni iesire 220V si 110V	65.00 €
ASS-500W	Invertor 12VDC-220VAC 1000W & ChargerAvarie, tensiuni iesire 220V si 110V	88.00 €
ASS-1000W	Invertor 24VDC-220VAC 1kW & ChargerAvarie, tensiuni iesire 220V si 110V	140.00 €
GCA-30A-12V	Charger/Rectifier 0-30A, 12V out - Automatic Battery Charger	85.00 €
GCA-30A-24V	Charger/Rectifier 0-30A, 24V out - Automatic Battery Charger	85.00 €
GCA-30A-36V	Charger/Rectifier 0-30A, 36V out - Automatic Battery Charger	85.00 €
<b>AUTOTRANSFORMATOARE</b>		
TDGC2-500VA	Autotransformator Monofazic 0-250V, putere maxima 500VA	17.20 €
TDGC2-1000VA	Autotransformator Monofazic 0-250V, putere maxima 1000VA	29.60 €
TDGC2-2000VA	Autotransformator Monofazic 0-250V, putere maxima 2000VA	39.50 €
TDGC2-5000VA	Autotransformator Monofazic 0-250V, putere maxima 5000VA	95.20 €
TDGC2-10000VA	Autotransformator Monofazic 0-250V, putere maxima 10000VA	199.00 €
TDGC2-15000VA	Autotransformator Monofazic 0-250V, putere maxima 15000VA	299.00 €
TSGC2-9KVA	Autotransformator Trifazic 0-450V, putere maxima 9kVA	195.00 €
TSGC2-20KVA	Autotransformator Trifazic 0-450V, putere maxima 20kVA	325.00 €
<b>SURSE STABILIZATE CU TENSIUNE REGLABILA</b>		
HY1803	Sursa stabilizata cu tensiune reglabila 0-18V, curent 0-3A	47.30 €
HY3005	Sursa stabilizata cu tensiune reglabila 0-30V, curent 0-5A	80.30 €
HY3005D	Sursa stabilizata cu tensiune reglabila 0-30V, curent 0-5A	85.80 €
QJ-3003 X	Sursa stabilizata cu tensiune reglabila 0-30V, 1 iesire x 3A	62.00 €
QJ-3005 X	Sursa stabilizata cu tensiune reglabila 0-30V, 1 iesire x 5A	97.00 €
QJ-3005 X2	Sursa stabilizata cu tensiune reglabila 0-30V, 2 iesiri x 5A	130.00 €
QJ-3005 X3	Sursa stabilizata cu tensiune reglabila 0-30V, 3 iesiri (2 iesiri reglabile, 1 iesire fixa 5V, 3 A)	156.00 €
QJ-3010 X2	Sursa stabilizata cu tensiune reglabila 0-30V, 2 iesiri x 10A	336.00 €

Timisoara: sales@mondoplast.net		TAB]	Bucuresti: info@mondoplast.net
QJ-6002 X2	Sursa stabilizata cu tensiune reglabila 0-60V, 2 iesiri x 2A		165.00 €
<b>SURSE DE TELEALIMENTARE PENTRU CATV</b>			
KA603A	Sursa de telealimentare performanta tip "barostat cu saturatie magnetica", cu protectie la descarcari electrice, scurt circuit, alimentare la 220VAC+/-20V, tensiune de iesire 60VAC+/-3%, curent de sarcina nominal 3,4,6,8,10,15A, power inserter inclus 5-860MHz, mufe F si 5/8", instrumente de masura ampermetru / voltmetru pe iesire incluse - 3A		59.00 €
KA604A	Sursa de telealimentare performanta tip "barostat cu saturatie magnetica", cu protectie la descarcari electrice, scurt circuit, alimentare la 220VAC+/-20V, tensiune de iesire 60VAC+/-3%, curent de sarcina nominal 3,4,6,8,10,15A, power inserter inclus 5-860MHz, mufe F si 5/8", instrumente de masura ampermetru / voltmetru pe iesire incluse - 4A		67.00 €
KA606A	Sursa de telealimentare performanta tip "barostat cu saturatie magnetica", cu protectie la descarcari electrice, scurt circuit, alimentare la 220VAC+/-20V, tensiune de iesire 60VAC+/-3%, curent de sarcina nominal 3,4,6,8,10,15A, power inserter inclus 5-860MHz, mufe F si 5/8", instrumente de masura ampermetru / voltmetru pe iesire incluse - 6A		79.00 €
KA608A	Sursa de telealimentare performanta tip "barostat cu saturatie magnetica", cu protectie la descarcari electrice, scurt circuit, alimentare la 220VAC+/-20V, tensiune de iesire 60VAC+/-3%, curent de sarcina nominal 3,4,6,8,10,15A, power inserter inclus 5-860MHz, mufe F si 5/8", instrumente de masura ampermetru / voltmetru pe iesire incluse - 8A		89.00 €
KA6010A	Sursa de telealimentare performanta tip "barostat cu saturatie magnetica", cu protectie la descarcari electrice, scurt circuit, alimentare la 220VAC+/-20V, tensiune de iesire 60VAC+/-3%, curent de sarcina nominal 3,4,6,8,10,15A, power inserter inclus 5-860MHz, mufe F si 5/8", instrumente de masura ampermetru / voltmetru pe iesire incluse - 10A		105.00 €
KA6015A	Sursa de telealimentare performanta tip "barostat cu saturatie magnetica", cu protectie la descarcari electrice, scurt circuit, alimentare la 220VAC+/-20V, tensiune de iesire 60VAC+/-3%, curent de sarcina nominal 3,4,6,8,10,15A, power inserter inclus 5-860MHz, mufe F si 5/8", instrumente de masura ampermetru / voltmetru pe iesire incluse - 15A		135.00 €
WA603A	Sursa de telealimentare performanta tip "AVR cu releu", cu protectie la descarcari electrice, scurt circuit, alimentare la 220VAC (170-250VAC), tensiune de iesire 60VAC+/-4V, curent de sarcina nominal 3,4,6,8,10,15A, power inserter inclus 5-1000MHz, mufe F si 5/8", instrumente de masura ampermetru / voltmetru pe iesire incluse - 3A		49.00 €
WA604A	Sursa de telealimentare performanta tip "AVR cu releu", cu protectie la descarcari electrice, scurt circuit, alimentare la 220VAC (170-250VAC), tensiune de iesire 60VAC+/-4V, curent de sarcina nominal 3,4,6,8,10,15A, power inserter inclus 5-1000MHz, mufe F si 5/8", instrumente de masura ampermetru / voltmetru pe iesire incluse - 4A		54.00 €
WA606A	Sursa de telealimentare performanta tip "barostat", cu protectie la descarcari electrice, scurt circuit, alimentare la 220VAC (170-250VAC), tensiune de iesire 60VAC+/-4V, curent de sarcina nominal 3,4,6,8,10,15A, power inserter inclus 5-1000MHz, mufe F si 5/8", instrumente de masura ampermetru / voltmetru pe iesire incluse - 6A		65.00 €
WA608A	Sursa de telealimentare performanta tip "AVR cu releu", cu protectie la descarcari electrice, scurt circuit, alimentare la 220VAC (170-250VAC), tensiune de iesire 60VAC+/-4V, curent de sarcina nominal 3,4,6,8,10,15A, power inserter inclus 5-1000MHz, mufe F si 5/8", instrumente de masura ampermetru / voltmetru pe iesire incluse - 8A		75.00 €
WA6010A	Sursa de telealimentare performanta tip "AVR cu releu", cu protectie la descarcari electrice, scurt circuit, alimentare la 220VAC (170-250VAC), tensiune de iesire 60VAC+/-4V, curent de sarcina nominal 3,4,6,8,10,15A, power inserter inclus 5-1000MHz, mufe F si 5/8", instrumente de masura ampermetru / voltmetru pe iesire incluse - 10A		94.00 €
WA6015A	Sursa de telealimentare performanta tip "AVR cu releu", cu protectie la descarcari electrice, scurt circuit, alimentare la 220VAC (170-250VAC), tensiune de iesire 60VAC+/-4V, curent de sarcina nominal 3,4,6,8,10,15A, power inserter inclus 5-1000MHz, mufe F si 5/8", instrumente de masura ampermetru / voltmetru pe iesire incluse - 15A		115.00 €