

| Mondo Plast distribution | | | |
|---|---|--|--|
| FEB-2012 | | TP-LINK - lista de preturi distributie EUR | |
| Model No. | Description | LISTA - [EUR] fara TVA | Oferta speciala Feb 2012 [EUR] fara TVA |
| Wireless LAN | | | |
| 300Mbps Uitimate Wireless N Gigabit Router | | | |
| TL-WR1043ND | Ultimate wireless N Gigabit Router, Atheros, 3T3R, 2.4GHz, 802.11n/g/b, Built-in 4-port Gigabit Switch, 1 usb port, with 3 detachable antennas | 42.55 | 40.40 |
| TL-WR2543ND | 450Mbps Dual band Wireless N Gigabit Router, Atheros, 2.4GHz/5GHz Selectable, 802.11a/b/g/n, Built-in 4-port Gigabit Switch, 1 usb port (print/ store), with 3 detachable antennas | 82.00 | 77.50 |
| 300Mbps Advanced Wireless N Router | | | |
| TL-WR940N | Advanced wireless N Router, Atheros, 2.4GHz, 802.11n/g/b, Built-in 4-port Switch, with 3 fixed antennas | 33.20 | 27.90 |
| TL-WR941ND | Advanced wireless N Router, Atheros, 3T3R, 2.4GHz, 802.11n/g/b, Built-in 4-port Switch, with 3 detachable antennas | 34.50 | |
| 300Mbps Advanced Wireless N Access Point | | | |
| TL-WA901ND | Advanced Wireless N Access Point, Atheros, 3T3R, 2.4GHz, 802.11n/g/b, Passive PoE Supported, QSS Push Button, AP/Client/Bridge/Repeater, Multi-SSID, WMM, Ping Watchdog, with 3 4dbi detachable Antenna | 35.00 | |
| 300Mbps Advanced Wireless N Adapter | | | |
| TL-WN951N | Advanced wireless N PCI Adapter, Atheros, 3T3R, 2.4GHz, 802.11n/g/b, with 3 detachable antennas | 19.00 | |
| 300Mbps Wireless N Router | | | |
| TL-WR841N | Wireless N Router, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, Built-in 4-port Switch, with 2 fixed antennas | 22.20 | 20.90 |
| TL-WR841ND | Wireless N Router, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, Built-in 4-port Switch, with 2 detachable antennas | 23.00 | 22.50 |
| TL-WR842ND | 300Mbps Multi-Function Wireless N Router, Wi-Fi on/off, Multi SSID, 2 detachable antennas | 30.70 | 28.95 |
| 300Mbps Wireless N Access Point | | | |
| TL-WA801ND | Wireless N Access Point, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, Passive PoE Supported, QSS Push Button, AP/Client/Bridge/Repeater, Multi-SSID, WMM, Ping Watchdog, with 2 4dbi detachable Antenna | 28.00 | 24.40 |
| 300Mbps Wireless N Adapter | | | |
| TL-WN811N | Wireless N Cardbus Adapter, Atheros, 2T2R, 2.4GHz, 802.11n/g/b | 14.75 | |
| TL-WN851N | Wireless N PCI Adapter, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, with 2 detachable antennas | 15.50 | |
| TL-WN851ND | 300Mbps Wireless N PCI Adapter, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, with 2 detachable antennas | 17.00 | |
| TL-WN821N | Wireless N USB Adapter, Atheros, 2T2R, 2.4Ghz, 802.11n/g/b | 10.45 | |
| TL-WN821NC | Wireless N USB Adapter, Atheros, 2T2R, 2.4Ghz, 802.11n/g/b, with 1 elegant USB Cradle | 11.60 | 10.95 |
| TL-WN861N | Wireless N MiniPCI Adapter, Atheros, 2T2R, 2.4GHz, 802.11n/g/b | 13.95 | |
| 300Mbps High Gain Wireless Adapter | | | |
| TL-WN822N | 300Mbps High Gain Wireless N USB Adapter, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, QSS button, autorun utility, elegant desktop housing, USB extension cable, 2 fixed antennas | 15.95 | |
| 150Mbps Wireless Router | | | |
| TL-WR740N | 150Mbps Wireless Lite N Router, Atheros, 1T1R, 2.4GHz, compatible with 802.11n/g/b, Built-in 4-port Switch, SPI firewall, autorun utility, fixed antenna | 16.40 | 15.40 |
| TL-WR741ND | 150Mbps Wireless Lite N Router, Atheros, 1T1R, 2.4GHz, compatible with 802.11n/g/b, Built-in 4-port Switch, integrated SPI firewall and access control, detachable antenna | 18.95 | 17.80 |
| TL-WR743ND | 150Mbps Wireless Lite N AP/Client Router, Atheros, 1T1R, 2.4GHz, compatible with 802.11n/g/b, Built-in 4-port Switch, Passive PoE Supported, Supports WISP, integrated SPI firewall and access control, detachable antenna | 19.90 | |
| 150Mbps Wireless Access Point | | | |
| TL-WA701ND | 150Mbps Wireless Lite N Access Point, Atheros, 1T1R, 2.4GHz, compatible with 802.11n/g/b, Passive PoE Supported, QSS Push Button, AP/Client/Bridge/Repeater, Multi-SSID, WMM, Ping Watchdog, with 1 4dbi detachable Antenna | 20.70 | |
| 150Mbps Wireless Range Extender | | | |
| TL-WA730RE | 150Mbps Wireless Lite N Range Extender, Atheros, 1T1R, 2.4GHz, compatible with 802.11n/g/b, auto-extender button, AP & Range extender mode, autorun utility, with 1 4dbi detachable Antenna | 20.35 | |
| 150Mbps Wireless Adapter | | | |

| | | | |
|--|---|-------|-------|
| TL-WN721N | 150Mbps Wireless USB Adapter, Atheros, 1T1R, 2.4GHz, 802.11n/g/b, support PSP X-Link | 7.90 | |
| TL-WN727N | 150Mbps Wireless USB Adapter, Ralink, 1T1R, 2.4GHz, 802.11n/g/b, Supports Sony PSP | 7.20 | |
| TL-WN723N | 150Mbps Wireless USB Adapter, Mini Size, Realtek, 1T1R, 2.4GHz, 802.11n/g/b, QSS button, autorun utility, dimension: 36.8*17*8.4mm | 7.00 | |
| TL-WN751ND | 150Mbps Wireless PCI Adapter, Atheros, 1T1R, 2.4GHz, 802.11n/g/b, 1 detachable antenna | 11.50 | nou |
| TL-WN781ND | 150Mbps Wireless PCI Express Adapter, Atheros, 1T1R, 2.4GHz, 802.11n/g/b, 1 detachable antenna | 10.00 | |
| 150Mbps High Gain Wireless Adapter | | | |
| TL-WN722N | 150Mbps High Gain Wireless USB Adapter, Atheros, 1T1R, 2.4GHz, 802.11n/g/b, 1 detachable antenna | 9.10 | 8.20 |
| TL-WN722NC | 150Mbps High Gain Wireless USB Adapter, Atheros, 1T1R, 2.4GHz, 802.11n/g/b, 1 detachable antenna, with 1 elegant USB Cradle | 9.80 | |
| 54Mbps Wireless Router (eXtended Range™) | | | |
| TL-WR543G | 54Mbps Wireless AP Client Router with eXtended Range™, Atheros, 2.4GHz, 802.11g/b, Built-in 4-port Switch, supports WISP, L2TP, Port-based QoS, with detachable Antenna | 17.90 | 17.20 |
| 54Mbps Wireless Access Point (eXtended Range™) | | | |
| TL-WA500G | 54Mbps Wireless Access Point with eXtended Range™, Atheros, 2.4GHz, 802.11g/b, AP/AP Client/ Repeater/Bridge/Multi-Bridge, WDS, Site Survey, passive PoE, with detachable Antenna | 17.90 | 24.40 |
| 54Mbps Wireless Router | | | |
| TL-WR340G | 54Mbps Wireless Router, Atheros, 2.4GHz, 802.11g/b, Built-in 4-port Switch, fixed Antenna | 13.85 | 12.95 |
| TL-WR340GD | 54Mbps Wireless Router, Atheros, 2.4GHz, 802.11g/b, Built-in 4-port Switch, detachable Antenna | 14.40 | |
| 54Mbps Wireless Adapter | | | |
| TL-WN310G | 54Mbps Wireless CardBus Adapter, Atheros, 2.4GHz, 802.11g/b | 8.90 | |
| TL-WN350G | 54Mbps Wireless PCI Adapter, Atheros, 2.4GHz, 802.11g/b, fixed antenna | 7.00 | |
| TL-WN350GD | 54Mbps Wireless PCI Adapter, Atheros, 2.4GHz, 802.11g/b, detachable antenna | 7.50 | |
| TL-WN321G | 54Mbps Wireless USB Adapter, Ralink, 2.4GHz, 802.11g/b, Soft AP, supports SONY PSP connection | 5.90 | |
| 54Mbps High-Gain Wireless Adapter | | | |
| TL-WN422G | 54Mbps High Gain Wireless USB Adapter, Atheros, 2.4GHz, 802.11g/b, 4dBi detachable antenna | 7.90 | |
| TL-WN422GC | 54Mbps High Gain Wireless USB Adapter, Atheros, 2.4GHz, 802.11g/b, 4dBi detachable antenna, with 1 elegant USB Cradle | 8.65 | |
| 2.4G/5Ghz 802.11a/b/g Wireless Adapter (eXtended Range™) | | | |
| TL-WN562AG | 54Mbps Wireless mini PCI Adapter with eXtended Range™, Atheros, 2.4G/5GHz, 802.11a/b/g, with two Ultra-Mini SMT-GSC Antenna connectors | 14.20 | |
| USB Cradle | | | |
| UC100 | USB cradle, USB2.0 port, 1.5meters cable, USB cap holder, works with Wireless USB Adapter | 2.15 | |
| High Power Wireless / Outdoor | | | |
| 150Mbps High Power Wireless Adapter | | | |
| TL-WN7200ND | 150Mbps High Power Wireless USB Adapter, Ralink, 1T1R, 2.4GHz, 802.11n/g/b, High power up to 500mw, High receive sensitivity, QSS button, SoftAP, 1 5dBi detachable antenna, Compatible with 54Mbps Wireless G | 12.25 | 11.95 |
| 54Mbps High Power Wireless Access Point (eXtended Range™) | | | |
| TL-WA5110G | 54Mbps High Power Wireless Access Point, 26dBm (400mw), Atheros, 2.4GHz 802.11g/b, 1 10/100 LAN, 1 detachable 4dBi antenna, passive PoE, WISP Client Router/AP/AP Client/ Repeater/Bridge/Multi-Bridge/AP Router | 24.30 | 23.50 |
| TL-WA5210G | 54Mbps High Power Outdoor Access Point, WISP Client Router, up to 27dBm, Atheros, 2.4GHz 802.11g/b, High Sensitivity, Integrated 12dBi dual-polarized directional antenna, Weather proof, Passive PoE, Status LED | 36.90 | 34.00 |
| Wireless Antenna & Accessories | | | |
| Wireless Antennas | | | |
| TL-ANT2403N | 2.4GHz 3dBi Desktop 3-Antenna, Lotus Style, 1m cable, RP-SMA connector, support 11n 2T3R/3T3R | 11.00 | nou |
| TL-ANT2405CL | 2.4GHz 5dBi Indoor Omni-directional Antenna, RP-SMA Male connector, L Type, w/o cradle, w/o cable | 2.35 | |
| TL-ANT2408CL | 2.4GHz 8dBi Indoor Omni-directional Antenna, RP-SMA Male connector, L Type, w/o cradle, w/o cable | 4.50 | 4.15 |
| TL-ANT2405C | 2.4GHz 5dBi Indoor Omni-directional Antenna, Cable length=1.3m, RP-SMA connector | 4.30 | |
| TL-ANT2408C | 2.4GHz 8dBi Indoor Omni-directional Desktop Antenna, Cable length=1.3m, RP-SMA connector | 9.35 | |
| TL-ANT2406A | 2.4GHz 6dBi Indoor Desktop Directional Antenna, Cable length=1.3m, RP-SMA connector | 10.60 | |
| TL-ANT2409A | 2.4GHz 9dBi Outdoor Directional Panel Antenna, Cable length=1m, RP-SMA connector | 13.90 | |

| | | | |
|--------------------------------|---|-------|--------|
| TL-ANT2409B | 2.4GHz 9dBi Outdoor Directional Panel Antenna, Cable length=1m, N-type connector | 14.70 | |
| TL-ANT2414A | 2.4GHz 14dBi Outdoor Directional Panel Antenna, Cable length=1m, SMA connector | 34.00 | |
| TL-ANT2414B | 2.4GHz 14dBi Outdoor Directional Panel Antenna, Cable length=1m, N-type connector | 36.00 | |
| TL-ANT2412D | 2.4GHz 12dBi Outdoor Omni-directional Antenna, Cable length=1.5m, N-type connector | 22.95 | |
| TL-ANT2415D | 2.4GHz 15dBi Outdoor Omni-directional Antenna, Cable length=1.5m, N-type connector | 31.50 | |
| TL-ANT2424B | 2.4GHz 24dBi Outdoor Grid Antenna , N-type connector | 31.50 | 29.90 |
| Wireless Accessories | | | |
| TL-ANT24EC3S | Low-loss Antenna Extension Cable, 2.4GHz, 3 meters Cable length, RP-SMA Male to Female connector | 5.40 | |
| TL-ANT24EC5S | Low-loss Antenna Extension Cable, 2.4GHz, 5 meters Cable length, RP-SMA Male to Female connector | 7.90 | |
| TL-ANT24EC6N | Low-loss Antenna Extension Cable, 2.4GHz, 6 meters KMS-400 Cable length, N-type Male to Female connector | 16.00 | |
| TL-ANT24EC12N | Low-loss Antenna Extension Cable, 2.4GHz, 12 meters KMS-400 Cable length, N-type Male to Female connector | 26.70 | |
| TL-ANT 24PT3 | Pigtail Cable, 2.4GHz, 3 meters Cable length, N-type Male to RP-SMA Male connector | 5.50 | nou |
| TL-ANT24PT | Pigtail Cable, 2.4GHz, 50cm Cable length, N-type Male to RP-SMA Male connector | 2.95 | |
| TL-ANT24SP | Surge Protector, 2.4GHz, N-type Male to Female connector | 10.50 | nou |
| 3G Router | | | |
| | | | |
| TL-MR3020 | Pocket 3G/3.75G Wireless N Router (pocket size) for external USB 3G modem (not supplied) | 29.80 | Nou !! |
| TL-MR3220 | 150Mbps Wireless Lite N 3G Router, Compatible with UMTS/HSPA/EVDO USB modem, 3G/WAN failover, 2.4GHz, 802.11n/g/b, 1 detachable antenna | 25.90 | 23.75 |
| TL-MR3420 | 300Mbps Wireless N 3G Router, Compatible with UMTS/HSPA/EVDO USB modem, 3G/WAN failover, 2T2R, 2.4GHz, 802.11n/g/b, 2 detachable antennas | 33.50 | 30.40 |
| ADSL | | | |
| ADSL2+ Modem | | | |
| TD-8616 | 1 ethernet port ADSL2+ modem with bridge mode, Trendchip, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter | 12.50 | |
| TD-8610 | 1 ethernet port ADSL2+ modem with bridge mode, Broadcom, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter | 13.50 | |
| ADSL2+ Router | | | |
| TD-8816 | 1 ethernet port ADSL2+ router with bridge and NAT router, Trendchip, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter | 13.00 | |
| TD-8817 | 1 ethernet port and 1 USB port ADSL2+ router with bridge and NAT router, Trendchip, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter | 14.00 | |
| TD-8840T | 4 ethernet ports ADSL2+ router with bridge and NAT router, Trendchip, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, Built-in 4-port Switch | 17.90 | nou |
| TD-8810 | 1 ethernet port ADSL2+ router with bridge and NAT router, Broadcom, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter | 14.00 | |
| TD-8811 | 1 ethernet port and 1 USB port ADSL2+ router with bridge and NAT router, Broadcom, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter | 15.00 | |
| TD-8840 | 4 ethernet ports ADSL2+ router with bridge and NAT router, Broadcom, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, Built-in 4-port Switch | 18.90 | |
| Wireless ADSL2+ Router | | | |
| TD-W8101G | 1-port 54Mbps Wireless ADSL2+ router, Trendchip + Ralink, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, 2.4GHz, 802.11g/b, fixed Antenna | 22.50 | |
| TD-W8151N | 1-port 150Mbps Wireless Lite N ADSL2+ Modem Router, Trendchip+Ralink, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, 802.11n/g/b, 1 fixed antenna | 23.50 | nou |
| TD-W8901G | 4-port 54Mbps Wireless ADSL2+ router, Trendchip + Ralink, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, 2.4GHz, 802.11g/b, detachable Antenna | 28.00 | 26.00 |
| TD-W8950ND | 150Mbps Wireless Lite N ADSL2+ Modem Router, Broadcom+Atheros chipset, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, compatible with 802.11n/g/b, 1 detachable antenna | 29.50 | |
| TD-W8951ND | 4-port 150Mbps Wireless N ADSL2+ Modem Router, Trendchip+Ralink chipset, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, 802.11n/g/b, 1 detachable antenna | 28.50 | |
| TD-W8960N | 300Mbps Wireless N ADSL2+ Modem Router, Broadcom, 2.4GHz, 802.11n/g/b, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, 2 detachable Antennas | 40.60 | |
| TD-W8961ND | 300Mbps Wireless N ADSL2+ Modem Router, Trendchip+Ralink chipset, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, compatible with 802.11n/g/b, 2 detachable antennas | 34.00 | 32.50 |
| Powerline Communication | | | |

| Powerline Ethernet Adapter | | | |
|-----------------------------------|---|---------------|---------------|
| TL-PA210 EU | 200Mbps Powerline Ethernet Adapter, Mini Size, HomePlug AV, Single Pack | 19.50 | 19.00 |
| TL-PA210 Starter Kit | 200Mbps Powerline Ethernet Adapter Kit, Mini Size, HomePlug AV, Twin Pack (pereche) | 39.00 | 36.00 |
| TL-PA211 | 200Mbps Powerline Ethernet Adapter, Mini Size, HomePlug AV, Single Pack | 24.00 | nou |
| TL-PA111 Starter Kit | 85Mbps Powerline Ethernet Adapter Kit, Mini Size, HomePlug Turbo, Twin Pack | 37.00 | nou |
| TL-PA211 Starter Kit | 200Mbps Powerline Ethernet Adapter Kit, Mini Size, HomePlug AV, Twin Pack | 46.00 | nou |
| TL-PA251 Starter Kit | 200Mbps Powerline Ethernet Adapter Kit, AC Pass-through, Plug(EU), Socket(EU), HomePlug AV, Twin Pack | 55.00 | nou |
| TL-PA251 | 200Mbps Multistreaming Powerline Ethernet Adapter, AC Pass-through, Plug(EU), Socket(EU), HomePlug AV, Single Pack, Support Multiple IPTV Streams | 28.00 | nou |
| TL-PA511 | 500Mbps Gigabit Powerline Adapter, Homeplug AV, 500Mbps powerline speed, Gigabit Ethernet, Single Pack | 35.00 | nou |
| TL-PA511KIT | 500Mbps Gigabit Powerline Adapter Starter Kit, Homeplug AV, 500Mbps powerline speed, Gigabit Ethernet, Twin Pack | 70.00 | 66.50 |
| Surveillance Camera | | | |
| TL-SC3130 | 2-way audio surveillance camera, MPEG4&MJPEG dual stream, 3GPP compliant, Motion detection | 53.00 | 49.50 |
| TL-SC3130G | 54Mbps Wireless 2-way audio surveillance camera, 2.4GHz, 802.11g/b, MPEG4&MJPEG dual stream, 3GPP compliant, Motion detection | 67.50 | 64.90 |
| TL-SC3430 | Megapixel Surveillance Camera, Advanced 1.3 Megapixel CMOS sensor, H.264/MPEG-4/MJPEG, 2-way audio, 3G View, 16-channel software | 85.00 | 81.90 |
| TL-SC3171 | Day/Night Surveillance Camera, 10 meters (32.8 feet) night vision distance, Industrial ICR (IR-Cut filter) mechanism, 640x480 resolution, Progressive Scan CMOS sensor, MSN View, Mobile View, Motion Detecion | 85.00 | 83.80 |
| TL-SC3171G | 54Mbps Wireless Day/Night Surveillance Camera, 10 meters (32.8 feet) night vision distance, 640x480 resolution, Progressive Scan CMOS sensor, 2.4GHz, 802.11b/g, Industrial ICR (IR-Cut filter) mechanism, MSN View, Mobile View, Motion Detecion | 106.00 | |
| TL-SC4171G | Pan/Tilt Surveillance Camera, 54Mbps Wireless, 354 degree Pan, 125 degree Tilt, Day/night, 10-meter night vision, 0.3 Megapixel CMOS sensor, MPEG-4/MJPEG, 3G View, 16-channel software | 179.00 | nou |
| Print Server | | | |
| TL-PS110P | Single parallel port fast ethernet Print Server, supports E-mail Alert, Internet Printing Protocol (IPP) SMB and POST (Power On Self Test), print job log | 26.00 | |
| TL-PS110U | Single USB2.0 port fast ethernet Print Server, supports E-mail Alert, Internet Printing Protocol (IPP) SMB and POST (Power On Self Test), print job log | 24.00 | |
| TL-PS310U | Single USB2.0 port MFP Print and Storage server, compatible with most of MFP(Multi-function printer) and USB storage devices, supports 4-port USB hub extension, supports POST (Power On Self Test) and Firmware upgrade | 26.90 | |
| TL-WPS510U | Wireless Print Server, single USB2.0 port, Atheros wireless, 2.4GHz, 802.11g/b, with detachable antenna | 38.50 | |
| Router | | | |
| SOHO Broadband Router | | | |
| TL-R402M | 1 WAN port + 4 LAN ports, Cable/DSL Router for Home, Dial-on-demand, Firewall, DHCP, DMZ host, VPN pass-through, supports PPPoE, Dynamic IP, Static IP, L2TP Internet Access | 9.45 | |
| TL-R460 | 1 WAN port + 4 LAN ports, Cable/DSL Router for Home and Small Office, Dial-on-demand, Advanced firewall, Parental control, DDNS, UPnP, 802.1X, DHCP, DMZ host, VPN pass-through, IP QoS, supports PPPoE, Dynamic IP, Static IP, L2TP, PPTP, BigPond Cable Inter | 12.70 | |
| TL-R860 | 1 WAN port + 8 LAN ports, Cable/DSL Router for Small Office, Dial-on-demand, Advanced firewall, Parental control, DDNS, UPnP, 802.1X, DHCP, DMZ host, VPN pass-through, supports PPPoE, Dynamic IP, Static IP, L2TP, PPTP, BigPond Cable Internet Access | 17.00 | |
| Load Balance Router | | | |
| TL-R470T+ | 5-port Multi-Wan Router for Small Office and Net Cafe, Configurable Ports up to 4 Wan ports, Load Balance, Advanced firewall, Port Bandwidth Control, Port Mirror, DDNS, UPnP, VPN pass-through | 36.00 | |
| TL-R480T+ | 5-port Multi-Wan Router for Small and Medium Business,Configurable Ports up to 4 Wan ports,400MHz Networks Processor, Load Balance, Advanced firewall, Port Bandwidth Control, Port Mirror, DDNS, UPnP, VPN pass-through | 70.00 | |
| TL-ER5120 | Load Balance Broadband Routers | 138.50 | Nou !! |
| TL-R4299G | 2 WAN port + 8 LAN ports Router for Small and Medium Business, 7 Gigabit RJ45 LAN ports, 1 SFP fiber expansion slot, 533MHz Intel IXP Networks Processor, Advanced firewall, Port Bandwidth Control, Port Mirror, Port-based VLAN, DDNS, UPnP, 802.1X, VPN pass-through | 177.00 | |
| Switch | | | |

| L2 Full Management Switch | | | |
|--|--|--------------|-------|
| TL-SG5426 | 26-port Pure-Gigabit fully Managed Switch. 26 10/100/1000M RJ45 ports including 4 SFP/RJ45 combo ports, Supports Port/Tag-based/Private/MAC/Protocol-based VLAN, STP/RSTP/MSTP, IGMP V1/V2 Snooping, L2/L3/L4Traffic Classification/ Priority Management, Rate Limiting, 802.1x, IEEE 802.3ad, L2/3/4 ACL, IP Clustering, Port Mirroring, IP Source Guard, SSL, SSH, CLI, SNMP, RMON | 287.00 | |
| TL-SL5428E | 24+4G Gigabit-Uplink fully Managed Switch, 24 10/100Mbps RJ45 ports, 4 Gigabit RJ45 ports with 2 combo SFP slots, Supports Port/Tag-based/Voice/MAC-based/Protocol-Based VLAN, GVRP, MVR, STP/RSTP/MSTP, IGMP V1/V2/V3 Snooping, COS, DSCP, Rate Limiting, 802.1x, IEEE 802.3ad, L2/3/4 ACL, IP Clustering, Port Mirroring, IP Source Guard, SSL, SSH, CLI, SNMP, RMON | 149.00 | nou |
| L2 Lite Management Switch | | | |
| TL-SG3210 | 10-port Pure-Gigabit L2 Managed Switch, 8 10/100/1000Mbps RJ45 ports including 2 Gigabit SFP slots, Port/Tag/MAC/Protocol-based VLAN, GVRP, STP/RSTP/MSTP, Port Isolation, IGMP V1/V2/V3 Snooping, L2/L3/L4 Traffic Classification/ Priority Management, Voice V | 95.50 | 89.90 |
| L2 Management Gigabit Switch | | | |
| TL-SG3109 | 9-port Pure-Gigabit Managed Switch, 8 10/100/1000M RJ45 ports, 1 SFP expansion slots supporting MiniGBIC modules, Port Mirror/Trunking, Port/Tag-based VLAN, Spanning Tree, 802.1X, IGMP Snooping, Console, Telnet, Web-based and SNMP management | 84.50 | nou |
| TL-SG3216 | 16-port Pure-Gigabit L2 Managed Switch, 16 10/100/1000M RJ45 ports including 2 combo SFP slots, Port/Tag/MAC/Voice/Protocol-based VLAN, GVRP, STP/RSTP/MSTP, IGMP V1/V2/V3 Snooping, L2/L3/L4 Traffic Classification/Priority Management, Rate Limiting, 802.1x, IEEE 802.3ad, L2/3/4 ACL, Port Mirroring, SSL, SSH, CLI, SNMP, RMON | 169.00 | nou |
| TL-SG3424 | 24-port Pure-Gigabit L2 Managed Switch, 24 10/100/1000M RJ45 ports including 4 combo SFP slots, Port/Tag/MAC/Voice/Protocol-based VLAN, GVRP, STP/RSTP/MSTP, IGMP V1/V2/V3 Snooping, L2/L3/L4 Traffic Classification/Priority Management, Rate Limiting, 802.1x, IEEE 802.3ad, L2/3/4 ACL, Port Mirroring, SSL, SSH, CLI, SNMP, RMON | 209.00 | nou |
| TL-SL3428 | 24+4G Gigabit-Uplink Managed Switch, 24 10/100M RJ45 ports, 2 10/100/1000M RJ45 ports, 2 SFP expansion slots supporting MiniGBIC modules, Port Mirror/Trunking, Port/Tag-based VLAN, Spanning Tree, 802.1X, IGMP Snooping, Console, Telnet, Web-based and SNMP management | 116.00 | |
| TL-SL3452 | 48+4G Gigabit-Uplink Managed Switch, 48 10/100M RJ45 ports, 2 10/100/1000M RJ45 ports, 2 SFP expansion slots supporting MiniGBIC modules, Port Mirror/Trunking, Port/Tag-based VLAN, Spanning Tree, 802.1X, IGMP Snooping, Console, Telnet, Web-based and SNMP management | 170.00 | |
| Web Smart Pure-Gigabit Switch | | | |
| TL-SG2109WEB | 9-port Pure-Gigabit Web Smart Switch, 8 10/100/1000M RJ45 ports, 1 SFP expansion slots supporting MiniGBIC modules, Port/Tag-based VLAN, MAC address Binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration | 66.50 | 62.00 |
| TL-SG2216WEB | 16-port Pure-Gigabit Web Smart Switch, 16 10/100/1000M RJ45 ports, 2 SFP expansion slots supporting MiniGBIC modules, Port/Tag-based VLAN, MAC address Binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration | 135.00 | |
| TL-SG2224WEB | 24-port Pure-Gigabit Web Smart Switch, 24 10/100/1000M RJ45 ports, 2 SFP expansion slots supporting MiniGBIC modules, Port/Tag-based VLAN, MAC address Binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration | 195.00 | |
| Web Smart Gigabit-Uplink Switch | | | |
| TL-SL2210WEB | 8+2G Gigabit-Uplink Web Smart Switch, 8 10/100M RJ45 ports, 1 10/100/1000M RJ45 ports, 1 SFP expansion slots supporting MiniGBIC modules, Port/Tag-based VLAN, MAC address Binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration | 42.00 | 39.95 |
| TL-SL2218WEB | 16+2G Gigabit-Uplink Web Smart Switch, 16 10/100M RJ45 ports, 1 10/100/1000M RJ45 ports, 1 SFP expansion slots supporting MiniGBIC modules, Port/Tag-based VLAN, MAC address Binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration | 55.00 | |
| TL-SL2428WEB | 24+4G Gigabit-Uplink Web Smart Switch, 24 10/100M RJ45 ports, 2 10/100/1000M RJ45 ports, 2 SFP expansion slots supporting MiniGBIC modules, Port/Tag-based VLAN, MAC address Binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration | 87.00 | |
| TL-SL2452WEB | 48+4G Gigabit-Uplink Web Smart Switch, 48 10/100M RJ45 ports, 2 10/100/1000M RJ45 ports, 2 SFP expansion slots supporting MiniGBIC modules, Port/Tag-based VLAN, MAC address Binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration | 126.00 | |
| Unmanaged Pure-Gigabit Switch | | | |
| TL-SG1005D | 5-port Desktop Gigabit Switch, 5 10/100/1000M RJ45 ports, plastic case | 14.20 | |
| TL-SG1008D | 8-port Desktop Gigabit Switch, 8 10/100/1000M RJ45 ports, plastic case | 21.50 | |
| TL-SG1016D | 16-port Gigabit Desktop/Rackmount Switch, 16 10/100/1000M RJ45 ports, metal case | 63.00 | |
| TL-SG1024D | 24-port Gigabit Desktop/Rackmount Switch, 24 10/100/1000M RJ45 ports, metal case | 83.00 | |
| TL-SG1008 | 8-port Gigabit Switch, 8 10/100/1000M RJ45 ports, 1U rack-mountable steel case | 31.50 | |
| TL-SG1016 | 16-port Gigabit Switch, 16 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case | 65.00 | |
| TL-SG1024 | 24-port Gigabit Switch, 24 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case | 88.00 | |
| TL-SG1048 | 48-port Gigabit Switch, 48 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case | 388.00 | |

| | | | |
|--|--|---------------|---------------|
| Unmanaged Gigabit-Uplink Switch | | | |
| TL-SL1210 | 8+2G Gigabit Switch, 8 10/100M RJ45 ports, 2 Fixed 10/100/1000M RJ45 ports, 1U 13-inch rack-mountable steel case | 23.50 | |
| TL-SL1117 | 16+1G Gigabit Switch, 16 10/100M RJ45 ports, 1 Fixed 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case | 32.00 | 31.50 |
| TL-SL1226 | 24+2G Gigabit Switch, 24 10/100M RJ45 ports, 2 Fixed 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case | 50.00 | 48.90 |
| TL-SL1351 | 48+3G Gigabit Switch, 48 10/100M RJ45 ports, 2 Fixed 10/100/1000M RJ45 ports, 1 SFP expansion slots supporting MiniGBIC modules, 1U 19-inch rack-mountable steel case | 118.00 | 109.00 |
| Unmanaged 10/100M Switch | | | |
| TL-SF1005D | 5-port 10/100M mini Desktop Switch, 5 10/100M RJ45 ports, Plastic case | 5.50 | |
| TL-SF1008D | 8-port 10/100M mini Desktop Switch, 8 10/100M RJ45 ports, Plastic case | 6.40 | |
| TL-SF1016D | 16-port 10/100M Desktop Switch, 16 10/100M RJ45 ports, Plastic case | 16.00 | |
| TL-SF1016DS | 16-port 10/100M Switch, 16 10/100M RJ45 ports, 1U 13-inch rack-mountable steel case | 23.50 | |
| TL-SF1024D | 24-port 10/100M Switch, 24 10/100M RJ45 ports, 13-inch steel case | 31.00 | |
| TL-SF1016 | 16-port 10/100M Switch, 16 10/100M RJ45 ports, 1U 19-inch rack-mountable steel case | 26.00 | |
| TL-SF1024 | 24-port 10/100M Switch, 24 10/100M RJ45 ports, 1U 19-inch rack-mountable steel case | 32.00 | |
| TL-SF1048 | 48-port 10/100M Switch, 48 10/100M RJ45 ports, 1U 19-inch rack-mountable steel case | 69.00 | |
| Fiber Converter | | | |
| SFP Fiber Module (MiniGBIC) | | | |
| TL-SM311LM | Gigabit SFP module, Multi-mode, MiniGBIC, LC interface, Up to 550/275m distance | 23.00 | |
| TL-SM311LS | Gigabit SFP module, Single-mode, MiniGBIC, LC interface, Up to 10km distance | 29.50 | |
| TL-SM321A | 1000Base-BX WDM Bi-Directional SFP Module, LC connector, TX:1550nm/RX:1310nm, single-mode, 10km | 66.50 | |
| TL-SM321B | 1000Base-BX WDM Bi-Directional SFP Module, LC connector, TX:1310nm/RX:1550nm, single-mode, 10km | 29.50 | |
| TL-SM221A | 100Base-BX WDM Bi-Directional SFP Module, LC connector, TX:1550nm/RX:1310nm, single-mode, 10km | 29.50 | |
| TL-SM221B | 100Base-BX WDM Bi-Directional SFP Module, LC connector, TX:1310nm/RX:1550nm, single-mode, 10km | 29.50 | |
| Gigabit Fiber Converter | | | |
| MC200CM | 1000M RJ45 to 1000M multi-mode SC fiber Converter, Full-duplex, up to 550m, switching power adapter, chassis mountable | 38.50 | |
| MC210CS | 1000M RJ45 to 1000M single-mode SC fiber Converter, Full-duplex, up to 15Km, switching power adapter, chassis mountable | 39.50 | |
| MC220L | 1000M RJ45 to 1000M SFP slot supporting MiniGBIC modules, switching power adapter, chassis mountable | 14.00 | |
| 100M WDM Fiber Converter | | | |
| MC111CS | 10/100M RJ45 to 100M single-mode SC fiber Converter, Full-duplex, Tx:1550nm, Rx:1310nm, up to 20Km, switching power adapter, chassis mountable | 29.50 | |
| MC112CS | 10/100M RJ45 to 100M single-mode SC fiber Converter, Full-duplex, Tx:1310nm, Rx:1550nm, up to 20Km, switching power adapter, chassis mountable | 29.50 | 27.90 |
| 100M Fiber Converter | | | |
| MC100CM | 10/100M RJ45 to 100M multi-mode SC fiber Converter, Full-duplex, up to 2Km, switching power adapter, chassis mountable | 21.50 | |
| MC110CS | 10/100M RJ45 to 100M single-mode SC fiber Converter, Full-duplex, up to 20Km, switching power adapter, chassis mountable | 22.50 | |
| Fiber Converter Chassis | | | |
| TL-MC1400 | 14-slot unmanaged media converter chassis, 19-inch rack-mountable, supports redundant power supply, with one AC power supply preinstalled. | 117.00 | 109.00 |
| PoE (Power Over Ethernet) | | | |
| TL-SF1008P | 8-port 10/100M PoE Switch, 8 10/100M RJ45 ports including 4 PoE ports, steel case | 41.50 | |
| TL-PoE150S | PoE Injector Adapter, IEEE 802.3af compliant, Data and power carried over the same cable up to 100 meters, plastic case, pocket size, plug and play | 11.80 | |
| TL-PoE10R | PoE Splitter Adapter, IEEE 802.3af compliant, Data and power carried over the same cable up to 100 meters, 5V/12V power output, plastic case, pocket size, plug and play | 9.10 | |
| TL-PoE200 | Power over Ethernet Adapter Kit, 1 Injector and 1 Splitter included, 100 meters PoE extension 12/9/5VDC output, Plug and Play | 15.40 | |
| Network Adapter | | | |
| Gigabit Network Interface Card | | | |
| TG-3468 | 32-bit Gigabit PCIe Networks Adapter, Realtek RTL8168B, 10/100/1000Mbps Auto-Negotiation RJ45 port, Auto MDI/MDIX | 5.95 | |

| | | |
|---------------------------------------|--|------|
| TG-3269 | 32bit Gigabit PCI Networks Interface Card, RealTek RTL8169SC, 10/100/1000Mbps Auto-Negotiation RJ45 port, Auto MDI/MDX | 4.65 |
| 10/100M Network Interface Card | | |
| TF-3239DL | 10/100M PCI Networks Interface Card, Realtek RTL8139D chip, RJ45 port, driver CD, retail package, without Bootrom socket | 2.68 |
| TF-3200 | 10/100M PCI Networks Interface Card, IC Plus IP100A chip, RJ45 port, driver CD, retail package, without Bootrom socket | 2.44 |
| TF-5239 | 10/100M 32bit CardBus Networks Interface Card, RJ45 port | 6.85 |
| 56K Modem | | |
| TM-IP5600 | 56Kbps internal data/fax modem, Motorola, PCI interface | 4.50 |