



CABLURI FIBRA OPTICA MULTI MODE



PARAMETRI OPTICI AI FIBRELOR TKF MULTI-MODE MATCHED-CLADDING

Tip fibra	Diam.miez conduct.optic	Diam.acop. optica fibra	Diam. fibra invelis acrilic	Lungim de unda	Atenuare	Gigabit Perform	Largimea de banda
MM 50/125	50 mm	125 mm	250 mm	850 nm 1300 nm	<2,7 dB/km <0,8 dB/km	550 m 550 m	>600 MHzxkm >1200 MHzxkm
MM 62,5/125	62,5 mm	125 mm	250 mm	850 nm 1300 nm	<3,2 dB/km <0,9 dB/km	220 m 550 m	>200 MHzxkm >600 MHzxkm
Numar fibre / tip fibra		Diametru	Greutate	Tensiune intindere	Temperaturi	Dimensiuni role	EURO/m
CTC, UNI TUBE, gel filled, metalfree, protectie ultraviolete, protectie rozatoare							Pret
CTC 1,2KN 4 x 50/125 OM2		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	0,42
CTC 1,2KN 6 x 50/125 OM2		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	0,51
CTC 1,2KN 8 x 50/125 OM2		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	0,60
CTC 1,2KN 12 x 50/125 OM2		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	0,76
CTC 1,2KN 24 x 50/125 OM2		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	1,29
CTC 1,2KN 4 x 62.5/125 OM1		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	0,53
CTC 1,2KN 6 x 62.5/125 OM1		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	0,67
CTC 1,2KN 8 x 62.5/125 OM1		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	0,82
CTC 1,2KN 12 x 62.5/125 OM1		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	1,11
CTC 1,2KN 24 x 62.5/125 OM1		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	1,90
CTC, UNI TUBE, gel filled, metalfree, protectie rozatoare, low smoke, zero halogen							Pret
CTC 1,2KN 4 x 50/125 OM2 LSZH		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	0.48
CTC 1,2KN 6 x 50/125 OM2 LSZH		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	0.57
CTC 1,2KN 8 x 50/125 OM2 LSZH		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	0.66
CTC 1,2KN 12 x 50/125 OM2 LSZH		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	0.83
CTC 1,2KN 24 x 50/125 OM2 LSZH		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	1.34
CTC 1,2KN 4 x 62.5/125 OM1 LSZH		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	0.66
CTC 1,2KN 6 x 62.5/125 OM1 LSZH		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	0.78
CTC 1,2KN 8 x 62.5/125 OM1 LSZH		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	0.91
CTC 1,2KN 12 x 62.5/125 OM1 LSZH		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	1.17
CTC 1,2KN 24 x 62.5/125 OM1 LSZH		6,8 mm	43 kg/km	1,2KN	-30 +70	4km	1.95
CTC CS, UNI TUBE, cu armatura metalica, gel filled, metalfree, protectie rozatoare							Pret
CTC CS 1,2KN 4 x 50/125 OM2		12,1 mm	142 kg/km	1,6KN	-10 +50	4km	0.83
CTC CS 1,2KN 6 x 50/125 OM2		12,1 mm	142 kg/km	1,6KN	-10 +50	4km	0.90
CTC CS 1,2KN 8 x 50/125 OM2		12,1 mm	142 kg/km	1,6KN	-10 +50	4km	0.98
CTC CS 1,2KN 12 x 50/125 OM2		12,1 mm	142 kg/km	1,6KN	-10 +50	4km	1.16
CTC CS 1,2KN 24 x 50/125 OM2		12,7 mm	162 kg/km	1,6KN	-10 +50	4km	1.75
CTC CS 1,2KN 4 x 62.5/125 OM1		12,1 mm	142 kg/km	1,6KN	-10 +50	4km	0.93
CTC CS 1,2KN 6 x 62.5/125 OM1		12,1 mm	142 kg/km	1,6KN	-10 +50	4km	1.08
CTC CS 1,2KN 8 x 62.5/125 OM1		12,1 mm	142 kg/km	1,6KN	-10 +50	4km	1.19
CTC CS 1,2KN 12 x 62.5/125 OM1		12,1 mm	142 kg/km	1,6KN	-10 +50	4km	1.46
CTC CS 1,2KN 24 x 62.5/125 OM1		12,7 mm	158 kg/km	1,6KN	-10 +50	4km	2.35

TOATE PRETURILE NU INCLUD TVA